

PRODUCT SUBMITTAL SPEC SHEET

Tel: 732-662-6200 • Fax: 732-548-6036 2960 Woodbridge Avenue • Edison, NJ 08837 www.buysuperstud.com

Building Products, Inc.

Product Name: 4 TABBED TR 20 & 4 J TR 20 AISI Nomenclature: n/a nonstructural metal stud framing: specification section 09 22 16

Product description: 4" deep x 20 gauge unequal leg track: available with or without tabs.

J Track has no tabs; tabbed track has fold-out tab every 24"; 1" from the long flange.

Front flange is 1"; back flange is 2.25".

Available Coatings: G40 (standard); G60, or G90.

Thickness: Design = 0.0346", Minimum = 0.0329", mil = 33 • Gauge = 20 1" (front flange), 2.25" (back flange) • Inside Web Depth: 4"

SECTION PROPERTIES

Gross Section Properties:

Cross Section Area (**A**): 0.251 in^2 Member Weight: 0.852 pounds per footMoment of Inertia, strong axis (I_x): 0.627 in^4 Section Modulus Left ($S_{x L}$): 0.258 in^3 Section Modulus right ($S_{x R}$): 0.365 in^3

CODES & STANDARDS

 ${\it Super Stud products comply with the applicable provisions of the following:}$

International Building Code (IBC) 2006 - 2015 Sheet Steel: ASTM A1003 & ASTM A653

Galvanized Coating: ASTM A653 Members & Tolerances: ASTM C645

Meets ASTM C754 when installed properly in structure



















