



PRODUCT SUBMITTAL SHEET

For more information or questions, please contact:
technical@buysuperstud.com | info@ebmetal.us



1-1/2" Furring Hat Channel (150F125-54)

16GA (54mil)



Specification Section: 09.22.16 (Non-Structural Metal Framing)

Coating: G40 coating is typically supplied for lighter-gauge products, with G60 coating available for heavier gauges. G90 coating is available upon request for select products and applications.

SUPER STUD FURRING "HAT" CHANNEL is a cold-formed, hat-shaped framing component used to create a uniform substrate for the attachment of gypsum panels, siding, and other finish materials. It is commonly used to furr out walls, ceilings, and soffits, particularly over masonry or uneven surfaces where a true plane is required.

Geometric Properties			
Depth	1.500 in.	Design Thickness	0.0566 in.
Width	1.250 in.	Min. Steel Thickness	0.0538 in.
		Yield Strength, Fy	50 ksi

GROSS PROPERTIES		
Area (in ²)	Total cross-sectional steel area	0.278
Weight (lb/ft)	Linear weight per foot of length	0.946
Ix (in ⁴)	Moment of inertia (Ix)	0.087
Rx (in)	Radius of gyration (Rx)	0.558
Iy (in ⁴)	Gross moment of inertia (Iy)	0.145
Ry (in)	Gross radius of gyration (Ry)	0.722
EFFECTIVE PROPERTIES		
Ix (in ⁴)	Moment of inertia for deflection (Ix)	0.087
Sx (in ³)	Section modulus (Sx)	0.122
Ma (ft-lb)	Allowable bending moment (Ma)	275.55
Va (lb)	Allowable shear force (Va)	1117



CODES AND STANDARDS:

Super Stud/EB Metal US products comply with the applicable provisions of the following:

- International Building Code (IBC): 2006–2024
- AISI S100-16 (2020) w/S2-20
- Sheet Steel: ASTM A1003/A1003M; ASTM A653/A653M
- Galvanized Coating: ASTM A653/A653M

Structural Members:

- ASTM C955; AISI S240
- Installed per ASTM C1007

Additional Standards:

- AISI S201; AISI S202

3rd Party Certification

For LEED Letter requests please submit through:
www.buysuperstud.com or www.ebmetal.us

NEW HAMPSHIRE FACILITY
12 TALLWOOD DRIVE
BOW, NH 03304
P: 603-216-1573

MISSISSIPPI FACILITY
53 W L RUNNELS IND DR
HATTIESBURG, MS 39401
P: 601-584-7550

NEW JERSEY FACILITY
2960 WOODBRIDGE AVE
EDISON, NJ 08837
P: 732-662-6200