# The Edge™ Drywall Framing by Super Stud Building Products

Health Product Declaration v2.3

created via: HPDC Online Builder

**HPD UNIQUE IDENTIFIER: 32468** 

CLASSIFICATION: 09 22 16 Non-Structural Metal Framing

PRODUCT DESCRIPTION: This HPD covers the following products manufactured by Super Stud Building Products: The Edge™ Drywall Framing. NOTE: If mill certificates are required, you must request mill-certified steel when placing your order. Additionally, The Edge™ is available in other coatings such as G60, but must be requested when placing your order. Since 1973, Super Stud Building Products, Inc., with roots in the New York Tri-State area, has been a proud manufacturer of the building industry's most diverse offerings of steel framing components and accessories for use in the construction of commercial, institutional, and residential structures. With manufacturing plants in Edison, New Jersey and Hattiesburg, Mississippi, Super Stud is a multi-regional steel framing and accessories manufacturer committed to quality products, unmatched service, competitive pricing, and timely deliveries across the entire East Coast and beyond. Super Stud plays an active role in the steel framing industry, participating in the American Iron and Steel Institute (AISI), the Association of the Wall and Ceiling Industry (AWCI), ASTM International, and the Steel Framing Alliance (SFA).

## **■ Section 1: Summary**

## **Basic Method / Product Threshold**

#### CONTENT INVENTORY

Inventory Reporting

**Format** 

C Nested Materials Method

Basic Method

**Threshold Disclosed Per** 

Material

Product

Threshold Level

100 ppm 1,000 ppm

C Per GHS SDS

Other

Residuals/Impurities Evaluation

Completed

C Partially Completed

C Not Completed

Explanation(s) provided :

⊙ Yes ⊜ No

For all contents above the threshold, the manufacturer has:

Characterized

Yes ○ No

Provided weight and role.

Screened

Provided screening results using HPDC-approved

methods.

Identified

C Yes © No

Provided name and CAS RN or other identifier.

## **CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

**GREENSCREEN SCORE | HAZARD TYPE** 

THE EDGE™ DRYWALL FRAMING [ HD GALVANIZED G40, FS TYPE B PER ASTM A653-MIN/ZERO SPANGLE CHEMICALLY TREATED - DRY NOGS ]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...

Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:** 

Per certification provided by steel mills.

## **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listings.

VOC emissions: Inherently non-emitting source per LEED

## **CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4 Option 2. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

O Yes
O No

PREPARER: Self-Prepared

VERIFIER: VERIFICATION #: SCREENING DATE: 2023-04-21 PUBLISHED DATE: 2023-04-21 EXPIRY DATE: 2026-04-21

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

## THE EDGE™ DRYWALL FRAMING

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Per certification provided by steel mills, all commercial steel products contain "trace" or "residual" amounts of various elements in addition to those listed that generally originate in the raw materials used or the recycled content. Steel products may contain the following trace or residual elements including typical percentages for the elements identified: aluminum (0.01-0.5), boron (≤0.005 max, typically 0.001%), calcium (≤ 0.005 max, typically 0.0003%), nitrogen (≤ 0.01 max, typically 0.006%), silicon (≤ 0.03 max, typically 0.002%), and tin (≤ 0.03 max, typically 0.002%). Other trace elements not frequently identified, may include antimony, arsenic, cadmium, cobalt, lead, and zirconium.

OTHER PRODUCT NOTES: The final percentage concentration of steel in the finished product depends on the ratio of steel (base metal) to the corrosion-resistant galvanized coating. Therefore, these percentages will vary depending on the mil thickness of the product ordered.

## HD GALVANIZED G40, FS TYPE B PER ASTM A653-MIN/ZERO SPANGLE CHEMICALLY TREATED - DRY

**ID: Not registered** 

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2023-04-21 9:28:23		
%: 100.0000 - 100.0000	GreenScreen: NoGS	RC: Both	NANO: <b>No</b>	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No v	varnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	NO
None found				No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Super Stud Building Products cold-formed steel framing products contain 34.2% pre- and post-consumer recycled steel sourced from several domestic (USA) suppliers.

## **Section 3: Certifications and Compliance**

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

**EXPIRY DATE:** 

#### **VOC EMISSIONS**

## Inherently non-emitting source per LEED

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: Edison, New Jersey and

Hattiesburg, Mississippi **CERTIFICATE URL:** 

CERTIFICATION AND COMPLIANCE NOTES:

ISSUE DATE: 2023-04-21

CERTIFIER OR LAB: None

## **Section 4: Accessories**

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

#### SELF-DRILLING OR STEEL-TAPPING SCREWS FOR COLD-FORMED STEEL FRAMING CONNECTIONS

MANUFACTURER (OR GENERIC): Generic

HPD URL: No HPD Available ACCESSORY TYPE: Fastner

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Self-drilling and self-piercing screws (per ASTM C1513) are used to connect cold-formed steel framing members together.

## Section 5: General Notes

Steel Products as sold by Super Stud Building Products are NOT hazardous per OSHA GHS 29 CFR 1910, 1915, 1926. However, individual customer processes, (such as welding, sawing, and drilling during installation at the job site) may result in the formation of fumes, dust (combustible or otherwise), and/or particulate that may present the following hazards:

OSHA HAZARDS: Carcinogen; Skin Sensitizer; Target Organ Effect - Lungs;

GHS CLASSIFICATION: Carcinogenicity (Category 2); Skin Sensitization (Category 1); Specific Target Organ Toxicity-Repeated Exposure (Category 1);

HAZARD STATEMENT(S):

H317 Dust/fumes may cause an allergic skin reaction;

H351 Dust/fumes suspected of causing cancer via inhalation;

H372 Inhalation of dust/fumes causes damage to respiratory tract through prolonged or repeated exposure;

PRECAUTIONARY STATEMENT(S):

P202 Do not handle until all safety precautions have been read and understood;

P261: Avoid breathing dust/fumes;

P281 Use personal protective equipment as required;

P308+P313 If exposed or concerned: Get medical advice/attention.

## 0

#### MANUFACTURER INFORMATION

MANUFACTURER: Super Stud Building Products

ADDRESS: 2960 Woodbridge Avenue

Edison New Jersey 08837-3406, United States

WEBSITE: https://www.buysuperstud.com/

CONTACT NAME: Susanne Allen

PHONE: 732-662-6217

TITLE: Technical Services Manager

EMAIL: technical@buysuperstud.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

## **KEY**

### **Hazard Types**

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

**MUL** Multiple

**NEU** Neurotoxicity

NF Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

## GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)
LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

## **Recycled Types**

PreC Pre-consumer recycled content
PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

## Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

## **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.